



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/618,379

07/11/2003

Jalpesh Patadia

BEAS-01362US0

4910

23910 7590 04/17/2008

FLIESLER MEYER LLP
650 CALIFORNIA STREET
14TH FLOOR
SAN FRANCISCO, CA 94108

EXAMINER

LONG, ANDREA NATAE

ART UNIT

PAPER NUMBER

2176

MAIL DATE

DELIVERY MODE

04/17/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/618,379	Applicant(s) PATADIA ET AL.	
	Examiner Andrea N. Long	Art Unit 2176	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 January 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3,5-12,14-22,24 and 26-33 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3,5-12,14-22,24 and 26-33 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|----------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>01/30/2008 02/19/2008 04/07/2008</u> | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 01/30/2008 has been entered.

Applicant's Response

In Applicant's Response dated 01/30/2008, Applicant amended Claims 1, 12, 22, and 33, cancelled Claims 4 and 25 and argued against all rejections previously set forth in the Office Action dated 10/30/2007.

Based on the amendment to Claim 22, the rejection of the claim under 35 U.S.C. 112, second paragraph, previously set forth is withdrawn.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 3, 5-10, 12, 14-20, 22, 24, 26-31, and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim et al (Pub. No.: US 2003/0120686 A1), hereinafter “Kim” in view of Emmanuel Tanyi (Easy XML, 2000), hereinafter “Tanyi” in further view of Park et al (Pub. No.: US 2004/0024812 A1), hereinafter “Park”.

As to independent claim 1, Kim teaches an interactive tool for viewing and manipulating a virtual content repository (VCR) having an application program interface (API), comprising (page 2 paragraph [0020] → Kim discloses a graphical user interface environment to allow a user to visually manipulate and operate information associated with a tree structure):

providing a first graphical user interface (GUI) configured to present a hierarchical namespace that spans information in a plurality of content repositories represented by the virtual content repository wherein the namespace includes at least one element, and wherein one of the at least one element can be selected (Fig. 7A reference characters 702 & 704, page 6 paragraph [0082] → Kim teaches a tree structure displayed with selectable elements, the elements are expandable to view additional information);

providing a second GUI configured to present and to enable editing of content associated with the selected element in the first GUI (Fig. 7B reference character 722, Fig. 7C, page 7 paragraphs [0087] [0088] → Kim teaches having associated information of the selected element displayed in a second screen which allows for editing of an HTML file); and wherein the VCR logically represents the plurality of content repositories as a single content repository (Fig. 8B → Kim teaches a single content repository “recipe” and a plurality of content repositories “document” “recipe” ingredient” which make up one single repository) , which includes a

service provider interface (page 4 paragraph [0059] → Kim teaches having to access files on a service server, the files located on the service server are converted for display in a browser). Kim implies providing a third GUI for modifying the schema of a selected element but does not forcefully teach it, (Fig. 8A reference characters 806 & 808) nor does Kim forcefully teach wherein the SPI is compatible with an API and wherein the SPI enables each one of the plurality of content repositories to be integrated into the VCR. Tanyi teaches providing a GUI configured to present and to enable editing of schema associated with the selected element in a first GUI (pages 4 and 5 → Tanyi teaches having a dialogue box appear when a selection of a node for editing the schema is executed). Park teaches a content publication system contains a content repository, which includes a SPI compatible with an API (page 3 paragraphs [0033][0041], page 6 paragraph [0069] → Park teaches the content producer can use the content manipulation API in the service publication server) and wherein the SPI enables a plurality of content repositories to be integrated into the VCR (page 3 paragraph [0035] → Park teaches having an integrate search service for integrating data from various sources and allowing for search based on search conditions).

It would have been obvious to one skilled in the art at the time the invention was made to have combined the interactive tool of Kim with the third GUI of Tanyi to offer a simple user interface that represents multiple views of XML data and rapidly create and manipulate XML structures (page 1, Tanyi) in addition to combining the compatibility of a SPI and an API to allow for different devices to generate programs for different device output formats and storing the programs in the web server (page 2 paragraph [0015], Park).

As to dependent claim 3, Kim teaches wherein an element can be a content node (page 6 paragraph [0082]).

As to dependent claim 5, Kim teaches the first GUI presents the namespace as a tree (Fig. 7A).

As to dependent claim 6, Kim teaches the first GUI can selectively present nodes having only content or schemas (Fig. 7A → Kim teaches the nodes being collapsible or expandable by use of + and – blocks located beside the nodes).

As to dependent claim 7, Kim teaches interactive tool for viewing and manipulating a virtual content repository. Kim does not teach a second GUI presenting all properties and values associated with a selected element. Tanyi teaches the second GUI can present all properties and values associated with the selected element in the first GUI (page 3 → Tanyi teaches when an item is selected “AUCTIONBLOCK”, all of the elements associated properties and values are presented to a user).

It would have been obvious to one skilled in the art at the time the invention was made to have combined the interactive tool of Kim with the presenting of properties and values of Tanyi to offer a simple user interface that represents multiple views of XML data and rapidly create and manipulate XML structures (page 1, Tanyi).

As to dependent claim 8, Kim teaches interactive tool for viewing and manipulating a virtual content repository. Kim does not teach a third GUI for presenting property attributes associated with a selected element. Tanyi teaches the third GUI can present all property attributes associated with the selected element in the first GUI (page 3 → Tanyi teaches displaying all property attributes of the selected element such as “title”, “artist”, “dimensions”, etc).

It would have been obvious to one skilled in the art at the time the invention was made to have combined the interactive tool of Kim with the presenting of properties attributes of Tanyi to offer a simple user interface that represents multiple views of XML data and rapidly create and manipulate XML structures (page 1, Tanyi).

As to dependent claim 9, Kim teaches interactive tool for viewing and manipulating a virtual content repository. Kim does not teach allowing elements to be moved copied or deleted. Tanyi teaches the first GUI allows elements to be moved “Element to Attribute”, copied “Duplicate Element Sub Tree”, and deleted “Delete Element Only” from the namespace (page 4).

It would have been obvious to one skilled in the art at the time the invention was made to have combined the interactive tool of Kim with the modifying elements of Tanyi to offer a simple user interface that represents multiple views of XML data and rapidly create and manipulate XML structures (page 1, Tanyi).

As to dependent claim 10, Kim teaches interactive tool for viewing and manipulating a virtual content repository. Kim does not teach a selection of an element in a first GUI causes presentation in a third GUI. Tanyi teaches selection of an element in the first GUI causes the presentation of the third GUI (page 4).

It would have been obvious to one skilled in the art at the time the invention was made to have combined the interactive tool of Kim with the selecting and presenting of elements of Tanyi to offer a simple user interface that represents multiple views of XML data and rapidly create and manipulate XML structures (page 1, Tanyi).

As to independent claim 12, claim 12 incorporates substantially similar subject matter as claimed in claim 1, and in further view of the following, is rejected along the same rationale.

Park teaches wherein the SPI enables a plurality of content repositories to be integrated into the VCR (page 3 paragraph [0035] → Park teaches having an integrate search service for integrating data from various sources and allowing for search based on search conditions).

It would have been obvious to one skilled in the art at the time the invention was made to have combined the interactive tool of Kim with the third GUI of Tanyi to offer a simple user interface that represents multiple views of XML data and rapidly create and manipulate XML structures (page 1, Tanyi) in addition to the enabling by the SPI of Park to allow for different devices to generate programs for different device output formats and storing the programs in the web server (page 2 paragraph [0015], Park).

As to dependent claim 14, Kim teaches wherein an element can be a content node (page 6 paragraph [0082]).

As to dependent claim 15, Kim teaches the first GUI presents the namespace as a tree (Fig. 7A).

As to dependent claim 16, Kim teaches the first GUI can selectively present nodes having only content or schemas (Fig. 7A → Kim teaches the nodes being collapsible or expandable by use of + and – blocks located beside the nodes).

As to dependent claim 17, Kim teaches interactive tool for viewing and manipulating a virtual content repository. Kim does not teach a second GUI presenting all properties and values associated with a selected element. Tanyi teaches the second GUI can present all properties and values associated with the selected element in the first GUI (page 3 → Tanyi teaches when an item is selected “AUCTIONBLOCK”, all of the elements associated properties and values are presented to a user).

It would have been obvious to one skilled in the art at the time the invention was made to have combined the interactive tool of Kim with the presenting of properties and values of Tanyi to offer a simple user interface that represents multiple views of XML data and rapidly create and manipulate XML structures (page 1, Tanyi).

As to dependent claim 18, Kim teaches interactive tool for viewing and manipulating a virtual content repository. Kim does not teach a third GUI for presenting property attributes associated with a selected element. Tanyi teaches the third GUI can present all property attributes associated with the selected element in the first GUI (page 3 → Tanyi teaches displaying all property attributes of the selected element such as “title”, “artist”, “dimensions”, etc).

It would have been obvious to one skilled in the art at the time the invention was made to have combined the interactive tool of Kim with the presenting of properties attributes of Tanyi to offer a simple user interface that represents multiple views of XML data and rapidly create and manipulate XML structures (page 1, Tanyi).

As to dependent claim 19, Kim teaches interactive tool for viewing and manipulating a virtual content repository. Kim does not teach allowing elements to be moved copied or deleted. Tanyi teaches the first GUI allows elements to be moved “Element to Attribute”, copied “Duplicate Element Sub Tree”, and deleted “Delete Element Only” from the namespace (page 4).

It would have been obvious to one skilled in the art at the time the invention was made to have combined the interactive tool of Kim with the modifying elements of Tanyi to offer a simple user interface that represents multiple views of XML data and rapidly create and manipulate XML structures (page 1, Tanyi).

As to dependent claim 20, Kim teaches interactive tool for viewing and manipulating a virtual content repository. Kim does not teach a selection of an element in a first GUI causes presentation in a third GUI. Tanyi teaches selection of an element in the first GUI causes the presentation of the third GUI (page 4).

It would have been obvious to one skilled in the art at the time the invention was made to have combined the interactive tool of Kim with the selecting and presenting of elements of Tanyi to offer a simple user interface that represents multiple views of XML data and rapidly create and manipulate XML structures (page 1, Tanyi).

As to independent claims 22 and 33, they incorporate substantially similar subject matter as claimed in claim 1, and are rejected along the same rationale.

As to dependent claims 24 and 26-31, they are rejected under the same rationale as claims 3 and 5-10 respectively.

Claims 11, 21, and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kim in view of Tanyi in further view of Park in further view of IBM TDB (Method and System for Visually Constructing Document Type Definitions and Related Artifacts Using a Reusable Object Model, 2001), hereinafter “IBM TDB”.

As to dependent claim 11, Kim in view of Tanyi in further view of Park teaches providing GUIs to present and enable editing of associated data of a selected node in a first GUI. However, Kim in view of Tanyi in further view of Park does not teach providing a fourth GUI configured to present and to enable editing of configuration parameters associated with a selected content repository or root node in the first GUI. IBM TDB teaches having a visual DTD Editor for constructing DTD. IBM TDB further teaches wherein the DTD includes parameters (Page 1). While IBM TDB does not forcefully disclose “configuration” parameters and a GUI, DTDs act to “configure” a document, since DTDs define documents accordingly, it would have been obvious to one skilled in the art to interpret IBM TDB as directed to configuration parameters and extend Kim’s GUIs to accept IBM TDB’s DTD editing (i.e. as a 4th GUI) for constructing features of configuration and to have them displayed in a GUI to allow a user to modify the way a system is set up for a particular element based on their personal preferences.

Therefore it would have been obvious to one skilled in the art to have combined the features of Kim in view of Tanyi in further view of Park with the constructing of parameters of IBM TDB to offer a simple user interface that represents multiple views of XML data and rapidly create and manipulate XML structures.

As to dependent claim 21, Kim in view of Tanyi in further view of Park teaches providing GUIs to present and enable editing of associated data of a selected node in a first GUI. However, Kim in view of Tanyi in further view of Park does not teach providing a fourth GUI configured to present and to enable editing of configuration parameters associated with a selected content repository or root node in the first GUI. IBM TDB teaches having a visual DTD Editor for constructing DTD. IBM TDB further teaches wherein the DTD includes parameters (Page 1). While IBM TDB does not forcefully disclose “configuration” parameters and a GUI, DTDs act to “configure” a document, since DTDs define documents accordingly, it would have been obvious to one skilled in the art to interpret IBM TDB as directed to configuration parameters and extend Kim’s GUIs to accept IBM TDB’s DTD editing (i.e. as a 4th GUI) for constructing features of configuration and to have them displayed in a GUI to allow a user to modify the way a system is set up for a particular element based on their personal preferences.

Therefore it would have been obvious to one skilled in the art to have combined the features of Kim in view of Tanyi in further view of Park with the constructing of parameters of IBM TDB to offer a simple user interface that represents multiple views of XML data and rapidly create and manipulate XML structures.

As to dependent claim 32, they are rejected under the same rationale as claim 11.

Response to Arguments

Applicant's arguments filed 01/30/2008 have been fully considered but they are not persuasive.

Applicant asserts that it appears that the elements of Kim cited by the Office Action do not represent content repositories, but rather represent entries in an XML file and does not disclose providing a first graphical user interface configured to present a hierarchical namespace that spans information in a plurality of content repositories represented by the virtual content repository, wherein the namespace includes at least one element, and wherein one of the at least one element can be selected.

The Examiner respectfully disagrees. While the teachings of Kim are executed within or with a DTD editor it does not eliminate the presence of content repositories and the displaying of a hierarchical namespace within a browser. In addition Figure 4E provides visual representation that a plurality of content repositories (Receipt 451 and Receipt 452) are represented hierarchically in one VCR (document). The mere use of the DOM tree provides reasonable interpretation to include a hierarchy within the system implemented by browser or similar application.

Applicant asserts that the cited references fail to teach wherein the SPI enables each one of the plurality of content repositories to be integrated into the VCR.

The Examiner disagrees. Park teaches the content repository having the capability to store multiple containers which are stored in a directory having hierarchical structure, and the directory may include one or more sub-directories. The single container indicates a single virtual

page of a logical web site. By having the multiple containers present in the content repository it provides a main content repository to house smaller repositories, which would be included in the integration.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrea N. Long whose telephone number is 571-270-1055. The examiner can normally be reached on Mon - Thurs 6:00 am to 3:00 pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Doug Hutton can be reached on 571-272-4137. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/618,379
Art Unit: 2176

Page 15

Andrea Long
April 10, 2008

/Doug Hutton/
Doug Hutton
Supervisory Primary Examiner
Technology Center 2100